Solutions Payment **CounterTop iCT220** LIENT CARD The rapid pace of technology means there has never been a better time to invest in new enabling solutions - supporting consumer payment behavior today while future-proofing your infrastructure to take advantage of tomorrow's opportunities. Ingenico's new generation iCT220 terminal does just this, combining the power of up to 500 million instructions per second, the latest PCI PED 2.0 security, and the revenue potential of countless value added services technical complexity to assure faultless operation in even the most demanding of banking and retail environments, while its ergonomic styling delivers the platform at the heart of iCT220 terminal ensures compatibility with the entire Ingenico solutions range, with any time, anywhere payment delivered through a complete range of wired connectivity options.



ingenico

CounterTop

iCT220



The new Ingenico iCT220 terminal is EMV level 1, level 2 and PCI PED 2.0 certified, delivering security-asstandard and peace of mind for both the consumer and the merchant. Its 32-bit RISC crypto-processor provides a uniquely scalable and high-performance platform to support a host of new generation or reinforced security applications, with no impact on transaction speed or reliability.



Utilising ARM9 and ARM7 microprocessor technology, the iCT220 countertop terminal combines innovation and performance – assuring a faster, more convenient and more reliable transaction every time.

Design/Ergonomics

With compact design and ergonomic styling, Ingenico's iCT220 offers a huge range of functionality. Clear backlit graphic displays, high contrast white screen allows easy reading and promotion of the merchant's brand, while the intuitively backlit designed keypad, with large keys, delivers ease of use for both merchant and consumer.

Communication

Equipped with an unparalleled array of communication technologies, such as fast modem, Ethernet or USB, Ingenico's iCT220 delivers any time, anywhere connectivity.

Software Development

Ingenico delivers incremental revenue today and future proofs the terminal investments of tomorrow. The iCT220 provides the rapid development environment on which to build a compelling portfolio of targeted, new generation services.

Field Services

To reduce total cost of ownership and enable merchants and banks to maximize their terminals investments, Ingenico provides a comprehensive range of terminal and software update and management services... both remotely and in the field.









ARM 9 & ARM 7 Image: first
450 MIPS & 50 MIPS • Memory RAM/Flash 16MB/16MB Removable Memory µSD Card • Dial-up Modem • • Ethernet • • WiFi • • GPRS • • SAMM 1 1 Card Readers Magstripe 1
Removable Memory µSD Card Dial-up Modem ● Ethernet ● WiFi ● GPRS 2 SAM 2 Card Readers Magstripe
Removable Memory µSD Card Dial-up Modem ● Ethernet ● WiFi ● GPRS 2 SAM 2 Card Readers Magstripe
Dial-up Modem Image: Communication Mode Ethernet Image: Communication Mode WiFi Image: Communication Mode WiFi Image: Communication Mode GPRS Image: Communication Mode SAM 2 Card Readers Magstripe
Ethernet Image: marked wife WiFi Image: marked wife GPRS Image: marked wife SAM 2 Card Readers Smart Card 1 Magstripe Track 1/2/3
WiFi WiFi GPRS 2 SAM 2 Card Readers Magstripe
SAM 2 Smart Card 1 Card Readers Magstripe
Smart Card 1 Card Readers Magstripe Track 1/2/3
Card Readers Magstripe Track 1/2/3
Graphic 128 x 64
Backlit
Display White •
TFT Color QVGA 320 x 240 Pixels
Number of Keys 15
Keyboard Function/Navigation Keys 4
Backlit
Privacy Shield optional
Buzzer
Thermal Printer Lines/Second 18 lps
R5232 1
Connections on Terminal USB Host 1
USB Slave 1
Power Supply Connector 1
Magic Box
Power Supply Connector 1
Connections RS232 1
on Magic Box Line In 1
Ethernet 1
Size (in mm) Terminal L 185 x W 83 x H 63
Paper Roll (width/diameter) 58/Ø40
Weight (in gr)Terminal (w/o paper roll nor cable)325
Lens optional
Customization Printer Cover Flap optional
Top Casing optional
Operating Temperature +5°C to +45°C
Environment Storage Temperature -20°C to +55°C
Relative Humidity, Non Condensing 85% HR at +40°C
PCI PED 2.0 Online & Offline

www.ingenico.com

